

Straumann® Emdogain® in periodontology

Clinical evidence

2017

This is a list of selected publications on Emdogain® in clinical research, listed by clinical indication, and by author in alphabetical order. Most abstracts are available via www.pubmed.com or dx.doi.org.

Table of contents:

- General review on Emdogain®
- Clinical literature on Emdogain® in the treatment of intrabony defects (page 1-8)
- Clinical literature on Emdogain® in the treatment of furcation defects (page 8-9)
- Clinical literature on Emdogain® in the treatment of recession defects (page 10-12)

General review on Emdogain®

Miron RJ, Sculean A, Cochran DL, Froum S, Zucchelli G, Nemcovsky C, Donos N, Lyngstadaas SP, Deschner J, Dard M, Stavropoulos A, Zhang Y, Trombelli L, Kasaj A, Shirakata Y, Cortellini P, Tonetti M, Rasperini G, Jepsen S, Bosshardt DD. Twenty years of enamel matrix derivative: the past, the present and the future. *J Clin Periodontol.* 2016 Aug;43(8):668-83. doi: 10.1111/jcpe.12546.

Clinical literature on Emdogain® in the treatment of intrabony defects

Reviews

Behdin S, Monje A, Lin GH, Edwards B, Othman A, Wang HL. Effectiveness of Laser Application for Periodontal Surgical Therapy: Systematic Review and Meta-Analysis. *J Periodontol.* 2015 Dec;86(12):1352-63. doi: 10.1902/jop.2015.150212.

Bosshardt DD, Stadlinger B, Terheyden H. Cell-to-cell communication--periodontal regeneration. *Clin Oral Implants Res.* 2015 Mar;26(3):229-39. doi: 10.1111/cir.12543.

Esposito M, Grusovin MG, Papanikolaou N, Coulthard P, Worthington HV. Enamel matrix derivative (Emdogain(R)) for periodontal tissue regeneration in intrabony defects. *Cochrane Database Syst Rev.* 2009 Oct 7;(4):CD003875. doi: 10.1002/14651858.CD003875.pub3.

Esposito M, Grusovin MG, Papanikolaou N, Coulthard P, Worthington HV. Enamel matrix derivative (Emdogain) for periodontal tissue regeneration in intrabony defects. A Cochrane systematic review. *Eur J Oral Implantol.* 2009 Winter;2(4):247-66.

Esposito M, Grusovin MG, Papanikolaou N, Coulthard P, Worthington HV. Enamel matrix derivative (Emdogain®) for periodontal tissue regeneration in intrabony defects. *Cochrane Database Syst Rev.* 2003;2:CD003875. Update in: *Cochrane Database.* doi: 10.1002/14651858.CD003875.pub3.

Graziani F, Gennai S, Cei S, Ducci F, Discepoli N, Carmignani A, Tonetti M. Does enamel matrix derivative application provide additional clinical benefits in residual periodontal pockets associated with suprabony defects? A systematic review and meta-analysis of randomized clinical trials. *J Clin Periodontol.* 2014 Apr;41(4):377-86. doi: 10.1111/jcpe.12218.

Ivanovski S. Periodontal regeneration. *Aust Dent J.* 2009 Sep;54 Suppl 1:S118-28. doi: 10.1111/j.1834-7819.2009.01150.x.

Kao RT, Nares S, Reynolds MA. Periodontal regeneration – intrabony defects: a systematic review from the AAP Regeneration Workshop. *J Periodontol.* 2015 Feb;86(2 Suppl):S77-104. doi: 10.1902/jop.2015.130685.

Koop R, Merheb J, Quirynen M. Periodontal regeneration with enamel matrix derivative in reconstructive periodontal therapy: a systematic review. *J Periodontol.* 2012 Jun;83(6):707-20. doi: 10.1902/jop.2011.110266.

Li W, Xiao L, Hu J. The use of enamel matrix derivative alone versus in combination with bone grafts to treat patients with periodontal intrabony defects: a meta-analysis. *J Am Dent Assoc.* 2012 Sep;143(9):e46-56.

Liu Y, Hu B, Zhou J, Li W, Liu Q, Song J. The Effect of Enamel Matrix Derivative Alone Versus in Combination with Alloplastic Materials to Treat Intrabony Defects: A Meta-analysis. *Int J Periodontics Restorative Dent.* 2017 Jul/Aug;37(4):e224-e233. doi: 10.11607/prd.2900.

Matarasso M, Iorio-Siciliano V, Blasi A, Ramaglia L, Salvi GE, Sculean A. Enamel matrix derivative and bone grafts for periodontal regeneration of intrabony defects. A systematic review and meta-analysis. *Clin Oral Investig.* 2015 Sep;19(7):1581-93. doi: 10.1007/s00784-015-1491-7.

Miron RJ, Guillemette V, Zhang Y, Chandad F, Sculean A. Enamel matrix derivative in combination with bone grafts: A review of the literature. *Quintessence Int.* 2014 Jun;45(6):475-87. doi: 10.3290/j.qi.a31541.

Pagliaro U, Nieri M, Rotundo R, Cairo F, Carnevale G, Esposito M, Cortellini P, Pini-Prato G; Italian Society of Periodontology. Clinical guidelines of the Italian Society of Periodontology for the reconstructive surgical treatment of angular bony defects in periodontal patients. *J Periodontol.* 2008 Dec;79(12):2219-32. doi: 10.1902/jop.2008.080266.

Palmer RM, Cortellini P; Group B of European Workshop on Periodontology. Periodontal tissue engineering and regeneration: Consensus Report of the Sixth European Workshop on Periodontology. *J Clin Periodontol.* 2008 Sep;35(8 Suppl):83-6. doi: 10.1111/j.1600-051X.2008.01262.x.

Rathe F, Junker R, Chesnutt BM, Jansen JA. The effect of enamel matrix derivative (Emdogain) on bone formation: a systematic review. *Tissue Eng Part B Rev.* 2009 Sep;15(3):215-24. doi: 10.1089/ten.teb.2008.0065.

Reynolds MA, Kao RT, Camargo PM, Caton JG, Clem DS, Fiorellini JP, Geisinger ML, Mills MP, Nares S, Nevins ML. Periodontal regeneration – intrabony defects: a consensus report from the AAP Regeneration Workshop. *J Periodontol.* 2015 Feb;86(2 Suppl):S105-7. doi: 10.1902/jop.2015.140378.

Sculean A, Nikolidakis D, Nikou G, Ivanovic A, Chapple IL, Stavropoulos A. Biomaterials for promoting periodontal regeneration in human intrabony defects: a systematic review. *Periodontol 2000.* 2015 Jun;68(1):182-216. doi: 10.1111/prd.12086.

Sculean A, Windisch P, Döri F, Keglevich T, Molnár B, Gera I. Emdogain in regenerative periodontal therapy. A review of the literature. *Fogorv Sz.* 2007 Oct;100(5):220-32, 211-9.

Sculean A, Schwarz F, Becker J, Brecx M. The application of enamel matrix protein derivate (Emdogain) in regenerative periodontal therapy: a review. *Med Princ Pract.* 2007;16:167-180. doi: 10.1159/000100386.

Suárez-López Del Amo F, Monje A, Padial-Molina M, Tang Z, Wang HL. Biologic Agents for Periodontal Regeneration and Implant Site Development. *Biomed Res Int.* 2015;2015:957518. doi: 10.1155/2015/957518.

Trombelli L. Which reconstructive procedures are effective for treating the periodontal intraosseous defect? *Periodontol 2000.* 2005;37:88-105. doi: 10.1111/j.1600-0757.2004.03798.x.

Venezia E, Goldstein M, Boyan BD, Schwartz Z. The use of enamel matrix derivative in the treatment of periodontal defects: a literature review and meta-analysis. *Crit Rev Oral Biol Med.* 2004;15(6):382-402.

Wu YC, Lin LK, Song CJ, Su YX, Tu YK. Comparisons of Periodontal Regenerative Therapies: A Meta-Analysis on the Long-term Efficacy. *J Clin Periodontol.* 2017 Mar 9. doi: 10.1111/jcpe.12715.

Zanatta FB, de Souza FG, Pinto TM, Antoniazzi RP, Rösing CK. Do the clinical effects of enamel matrix derivatives in infrabony defects decrease overtime? A systematic review and meta-analysis. *Braz Dent J.* 2013 Sep-Oct;24(5):446-55. doi: 10.1590/0103-6440201302192.

Clinical studies

Agrali ÖB, Kuru BE, Yarat A, Kuru L. Evaluation of gingival crevicular fluid transforming growth factor- β 1 level after treatment of intrabony periodontal defects with enamel matrix derivatives and autogenous bone graft: A randomized controlled clinical trial. *Niger J Clin Pract.* 2016 Jul-Aug;19(4):535-43. doi: 10.4103/1119-3077.183306.

Aimetti M, Ferrarotti F, Mariani GM, Romano F. A novel flapless approach versus minimally invasive surgery in periodontal regeneration with enamel matrix derivative proteins: a 24-month randomized controlled clinical trial. *Clin Oral Investig.* 2017 Jan;21(1):327-337. doi: 10.1007/s00784-016-1795-2.

Al Machot E, Hoffmann T, Lorenz K, Khalili I, Noack B. Clinical outcomes after treatment of periodontal intrabony defects with nanocrystalline hydroxyapatite (Ostim) or enamel matrix derivatives (Emdogain): a randomized controlled clinical trial. *Biomed Res Int.* 2014;2014:786353. doi: 10.1155/2014/786353.

Artzi Z, Tal H, Platner O, Wasersprung N, Weinberg E, Slutzkey S, Gozali N, Carmeli G, Herzberg R, Kozlovsky A. Deproteinized bovine bone in association with guided tissue regeneration or enamel matrix derivatives procedures in aggressive periodontitis patients: a 1-year retrospective study. *J Clin Periodontol.* 2015 Jun;42(6):547-56. doi: 10.1111/jcpe.12413.

Aspriello SD, Ferrante L, Rubini C, Piemontese M. Comparative study of DFDBA in combination with enamel matrix derivative versus DFDBA alone for treatment of periodontal intrabony defects at 12 months post-surgery. *Clin Oral Investig.* 2011 Apr;15(2):225-32. doi: 10.1007/s00784-009-0369-y.

Aydemir Turkal H, Demirer S, Dolgun A, Keceli HG. Evaluation of the adjunctive effect of platelet-rich fibrin to enamel matrix derivative in the treatment of intrabony defects. Six-month results of a randomized, split-mouth, controlled clinical study. *J Clin Periodontol.* 2016 Nov;43(11):955-964. doi: 10.1111/jcpe.12598.

Bratthall G, Lindberg P, Havemose-Poulsen A, Holmstrup P, Bay L, Söderholm G, Norderyd O, Andersson B, Rickardsson B, Hallström H, Kullendorff B, Sköld Bell H. Comparison of ready-to-use EMDOGAIN-gel and EMDOGAIN in patients with chronic adult periodontitis. *J Clin Periodontol.* 2001 Oct;28(10):923-9.

Bröseler F, Tietmann C, Hinz AK, Jepsen S. Long-term results of periodontal regenerative therapy: A retrospective practice-based cohort study. *J Clin Periodontol.* 2017 May;44(5):520-529. doi: 10.1111/jcpe.12723.

Chambrone D, Pasin IM, Chambrone L, Pannuti CM, Conde MC, Lima LA. Treatment of infrabony defects with or without enamel matrix proteins: a 24-month follow-up randomized pilot study. *Quintessence Int.* 2010 Feb;41(2):125-34.

Crea A, Dassatti L, Hoffmann O, Zafiroopoulos GG, Deli G. Treatment of intrabony defects using guided tissue regeneration or enamel matrix derivative: a 3-year prospective randomized clinical study. *J Periodontol.* 2008 Dec;79(12):2281-9. doi: 10.1902/jop.2008.080135.

Cortellini P, Pini-Prato G, Nieri M, Tonetti MS. Minimally invasive surgical technique and enamel matrix derivative in intrabony defects: 2. Factors associated with healing outcomes. *Int J Periodontics Restorative Dent.* 2009 Jun;29(3):257-65.

De Leonardis D, Paolantonio M. Enamel matrix derivative, alone or associated with a synthetic bone substitute, in the treatment of 1- to 2-wall periodontal defects. *J Periodontol.* 2013 Apr;84(4):444-55. doi: 10.1902/jop.2012.110656.

Dilsiz A, Canakci V, Aydin T. The combined use of Nd:YAG laser and enamel matrix proteins in the treatment of periodontal infrabony defects. *J Periodontol.* 2010 Oct;81(10):1411-8. doi: 10.1902/jop.2010.100031.

Döri F, Arweiler N, Húszár T, Gera I, Miron RJ, Sculean A. Five-year results evaluating the effects of platelet-rich plasma on the healing of intrabony defects treated with enamel matrix derivative and natural bone mineral. *J Periodontol.* 2013 Nov;84(11):1546-55. doi: 10.1902/jop.2013.120501.

Eickholz P, Röllke L, Schacher B, Wohlfel M, Dannewitz B, Kaltschmitt J, Krieger JK, Krigar DM, Reitmeir P, Kim TS. Enamel matrix derivative in propylene glycol alginate for treatment of infrabony defects with or without systemic doxycycline: 12- and 24-month results. *J Periodontol.* 2014 May;85(5):669-75. doi: 10.1902/jop.2013.130290.

Farina R, Simonelli A, Minenna L, Rasperini G, Trombelli L. Single-flap approach in combination with enamel matrix derivative in the treatment of periodontal intraosseous defects. *Int J Periodontics Restorative Dent.* 2014 Jul-Aug;34(4):497-506. doi: 10.11607/prd.2050.

Farina R, Simonelli A, Rizzi A, Pramstraller M, Cucchi A, Trombelli L. Early postoperative healing following buccal single flap approach to access intraosseous periodontal defects. *Clin Oral Investig.* 2013 Jul;17(6):1573-83. doi: 10.1007/s00784-012-0838-6.

Farina R, Itro A, Ferrieri I, Trombelli L. Disease recurrence following reconstructive procedures: a 6- to 8-year follow-up observational study. *Oral Health Prev Dent.* 2007;5(4):307-12.

Francetti L, Trombelli L, Lombardo G, Guida L, Cafiero C, Rocuzzo M, Carusi G, Del Fabbro M. Evaluation of efficacy of enamel matrix derivative in the treatment of intrabony defects: a 24-month multicenter study. *Int J Periodontics Restorative Dent.* 2005;25(5):461-473.

Francetti L, Del Fabbro M, Basso M, Testori T, Weinstein R. Enamel matrix proteins in the treatment of intra-bony defects. A prospective 24-month clinical trial. *J Clin Periodontol.* 2004;31:52-59.

Froum S, Weinberg M, Novak J, Mailhot J, Mellonig J, Van Dyke T, McClain P, Papapanou PN, Childers G, Ciancio S, Bliden T, Polson A, Greenstein G, Yukna R, Wallace ML, Patters M, Wagener C. A multicenter study evaluating the sensitization potential of enamel matrix derivative after treatment of two infrabony defects. *J Periodontol.* 2004;75:1001-1008. doi: 10.1902/jop.2004.75.7.1001.

Froum SJ, Weinberg MA, Rosenberg E, Tarnow D. A comparative study utilizing open flap debridement with and without enamel matrix derivative in the treatment of periodontal intrabony defects: A 12-month re-entry. *J Periodontol.* 2001;72:25-34. doi: 10.1902/jop.2001.72.1.25.

Fujinami K, Hayakawa H, Ota K, Ida A, Nikaido M, Makiishi T, Saito A. Two-year follow-up of treatment of intrabony periodontal defect with enamel matrix derivative. *Bull Tokyo Dent Coll.* 2011;52(4):215-21.

Ghezzi C, Ferrantino L, Bernardini L, Lencioni M, Masiero S. Minimally Invasive Surgical Technique in Periodontal Regeneration: A Randomized Controlled Clinical Trial Pilot Study. *Int J Periodontics Restorative Dent.* 2016 Jul-Aug;36(4):475-82. doi: 10.11607/prd.2550.

Guida L, Annunziata M, Belardo S, Farina R, Scabbia A, Trombelli L. Effect of autogenous cortical bone particulate in conjunction with enamel matrix derivative in the treatment of periodontal intraosseous defects. *J Periodontol.* 2007 Feb;78(2):231-8. doi: 10.1902/jop.2007.060142.

Heijl L, Heden G, Svärdström G, Ostgren A. Enamel matrix derivative (Emdogain) in the treatment of intrabony periodontal defects. *J Clin Periodontol.* 1997;24:705-714.

Hoffmann T, Al-Machot E, Meyle J, Jervøe-Storm PM, Jepsen S. Three-year results following regenerative periodontal surgery of advanced intrabony defects with enamel matrix derivative alone or combined with a synthetic bone graft. *Clin Oral Investig.* 2016 Mar;20(2):357-64. doi: 10.1007/s00784-015-1522-4.

Iorio-Siciliano V, Andreuccetti G, Blasi A, Matarasso M, Sculean A, Salvi GE. Clinical outcomes following regenerative therapy of non-contained intrabony defects using a deproteinized bovine bone mineral combined with either enamel matrix derivative or collagen membrane. *J Periodontol.* 2014 Oct;85(10):1342-50. doi: 10.1902/jop.2014.130420.

Losada M, González R, Pujol À, Santos A, Nart J. Treatment of Non-Contained Infrabony Defects With Enamel Matrix Derivative Alone or in Combination With a Biphasic Calcium Phosphate Bone Graft: a 12-Month Randomized Controlled Clinical Trial. *J Periodontol.* 2016 Dec 13;13:1-14. doi: 10.1902/jop.2016.160459.

Miliauskaite A, Selimovic D, Hassan M, Nagano F, Soell M, Sano H, Puriene A. Papilla preservation technique combined with Emdogain in the treatment of intrabony defects: a novel treatment regimen for chronic periodontitis. *Stomatologija.* 2008;10(1):22-6.

Minabe M, Kodama T, Kogou T, Takeuchi K, Fushimi H, Sugiyama T, Mitarai E. A comparative study of combined treatment with a collagen membrane and enamel matrix proteins for the regeneration of intraosseous defects. *Int J Periodontics Restorative Dent.* 2002;22:595-605.

Ogihara S, Tarnow DP. Efficacy of forced eruption/enamel matrix derivative with freeze-dried bone allograft or with demineralized freeze-dried bone allograft in infrabony defects: A randomized trial. *Quintessence Int.* 2015 Jun;46(6):481-90. doi: 10.3290/j.qi.a33936.

Ogihara S, Tarnow DP. Efficacy of enamel matrix derivative with freeze-dried bone allograft or demineralized freeze-dried bone allograft in intrabony defects: a randomized trial. *J Periodontol.* 2014 Oct;85(10):1351-60. doi: 10.1902/jop.2014.130520.

Ogihara S, Wang HL. Periodontal regeneration with or without limited orthodontics for the treatment of 2- or 3-wall infrabony defects. *J Periodontol.* 2010 Dec;81(12):1734-42. doi: 10.1902/jop.2010.100127.

Okuda K, Momose M, Miyazaki A, Murata M, Yokoyama S, Yonezawa Y, Wolff LF, Yoshie H. Enamel matrix derivative in the treatment of human intrabony osseous defects. *J Periodontol.* 2000;71(12):1821-1828. doi: 10.1902/jop.2000.71.12.1821.

Oortgiesen DA, Meijer GJ, Bronckers AL, Walboomers XF, Jansen JA. Regeneration of the periodontium using enamel matrix derivative in combination with an injectable bone cement. *Clin Oral Investig.* 2013 Mar;17(2):411-21. doi: 10.1007/s00784-012-0743-z.

Parashis AO, Polychronopoulou A, Tsiklakis K, Tatakis DN. Enamel matrix derivative in intrabony defects: prognostic parameters of clinical and radiographic treatment outcomes. *J Periodontol.* 2012 Nov;83(11):1346-52. doi: 10.1902/jop.2012.110551.

Pietruska M, Pietruski J, Nagy K, Brecx M, Arweiler NB, Sculean A. Four-year results following treatment of intrabony periodontal defects with an enamel matrix derivative alone or combined with a biphasic calcium phosphate. *Clin Oral Investig.* 2012 Aug;16(4):1191-7. doi: 10.1007/s00784-011-0611-2.

Pilloni A, Saccucci M, Di Carlo G, Zeza B, Ambrosca M, Paolantonio M, Sammartino G, Mongardini C, Polimeni A. Clinical evaluation of the regenerative potential of EMD and NanoHA in periodontal infrabony defects: a 2-year follow-up. *Biomed Res Int.* 2014;2014:492725. doi: 10.1155/2014/492725.

Pontoriero R, Wennström J, Lindhe J. The use of barrier membranes and enamel matrix proteins in the treatment of angular bone defects. A prospective controlled clinical trial. *J Clin Periodontol.* 1999;26(12):833-840.

Röllke L, Schacher B, Wohlfel M, Kim TS, Kaltschmitt J, Krieger J, Krigar DM, Reitmeir P, Eickholz P. Regenerative therapy of infrabony defects with or without systemic doxycycline. A randomized placebo-controlled trial. *J Clin Periodontol.* 2012 May;39(5):448-56. doi: 10.1111/j.1600-051X.2012.01861.x.

Saito A, Nanbu Y, Nagahata T, Yamada S. Treatment of intrabony periodontal defects with enamel matrix derivative in private practice: a long-term retrospective study. *Bull Tokyo Dent Coll.* 2008 May;49(2):89-96. Erratum in: *Bull Tokyo Dent Coll.* 2008 Aug;49(3):129.

Saito A, Hayakawa H, Ota K, Fujinami K, Nikaido M, Makiishi T. Treatment of periodontal defects with enamel matrix derivative: clinical evaluation at early healing stages. *Bull Tokyo Dent Coll.* 2010;51(2):85-93.

Sanz M, Tonetti MS, Zabalegui I, Sicilia A, Blanco J, Rebelo H, Rasperini G, Merli M, Cortellini P, Suvan JE. Treatment of intrabony defects with enamel matrix proteins or barrier membranes: results from a multicenter practice-based clinical trial. *J Periodontol.* 2004;75:726-733. doi: 10.1902/jop.2004.75.5.726.

Sculean A, Kiss A, Miliauskaite A, Schwarz F, Arweiler NB, Hannig M. Ten-year results following treatment of intra-bony defects with enamel matrix proteins and guided tissue regeneration. *J Clin Periodontol.* 2008 Sep;35(9):817-24. doi: 10.1111/j.1600-051X.2008.01295.x.

Sculean A, Windisch P, Szendrői-Kiss D, Horváth A, Rosta P, Becker J, Gera I, Schwarz F. Clinical and histologic evaluation of an enamel matrix derivative combined with a biphasic calcium phosphate for the treatment of human intrabony periodontal defects. *J Periodontol.* 2008 Oct;79(10):1991-9. doi: 10.1902/jop.2008.080009.

Sculean A, Chiantella GC, Arweiler NB, Becker J, Schwarz F, Stavropoulos A. Five-year clinical and histologic results following treatment of human intrabony defects with an enamel matrix derivative combined with a natural bone mineral. *Int J Periodontics Restorative Dent.* 2008 Apr;28(2):153-61.

Sculean A, Schwarz F, Miliauskaite A, Kiss A, Arweiler N, Becker J, Brecx M. Treatment of intrabony defects with an enamel matrix protein derivative or bioabsorbable membrane: an 8-year follow-up split-mouth study. *J Periodontol.* 2006;77(11):1879-1886. doi: 10.1902/jop.2006.060002.

Sculean A, Donos N, Miliauskaite A, Arweiler N, Brecx M. Treatment of intrabony defects with enamel matrix proteins or bioabsorbable membranes. A 4-year follow-up split-mouth study. *J Periodontol.* 2001;72:1695-1701. doi: 10.1902/jop.2001.72.12.1695.

Sculean A, Donos N, Blaes A, Lauermann M, Reich E, Brecx M. Comparison of enamel matrix proteins and bioabsorbable membranes in the treatment of intrabony periodontal defects. A split-mouth study. *J Periodontol.* 1999;70:255-262. doi: 10.1902/jop.1999.70.3.255.

Seshima F, Aoki H, Takeuchi T, Suzuki E, Irokawa D, Makino-Oi A, Sugito H, Tomita S, Saito A. Periodontal regenerative therapy with enamel matrix derivative in the treatment of intrabony defects: a prospective 2-year study. *BMC Res Notes.* 2017 Jul 6;10(1):256. doi: 10.1186/s13104-017-2572-2.

Siciliano VI, Andreuccetti G, Siciliano AI, Blasi A, Sculean A, Salvi GE. Clinical outcomes after treatment of non-contained intrabony defects with enamel matrix derivative or guided tissue regeneration: a 12-month randomized controlled clinical trial. *J Periodontol.* 2011 Jan;82(1):62-71. doi: 10.1902/jop.2010.100144.

Silvestri M, Rasperini G, Milani S. 120 infrabony defects treated with regenerative therapy: long-term results. *J Periodontol.* 2011 May;82(5):668-75. doi: 10.1902/jop.2010.100297.

Silvestri M, Ricci G, Rasperini G, Sartori S, Cattaneo V. Comparison of treatments of infrabony defects with enamel matrix derivative, guided tissue regeneration with a nonresorbable membrane and Widman modified flap. A pilot study. *J Clin Periodontol.* 2000;27:603-610.

Sipos PM, Loos BG, Abbas F, Timmerman MF, van der Velden U. The combined use of enamel matrix proteins and a tetracycline-coated expanded polytetrafluoroethylene barrier membrane in the treatment of intra-osseous defects. *J Clin Periodontol.* 2005;32:765-772. doi: 10.1111/j.1600-051X.2005.00754.x.

Tartakovsky Y, Goldstein A, Goldstein M. Radiographic outcomes following treatment of intrabony defects by freeze-dried bone allograft combined with enamel matrix derivative: A retrospective study. *Quintessence Int.* 2015 Oct;46(9):773-80. doi: 10.3290/j.qi.a34457.

Tonetti MS, Lang NP, Cortellini P, Suvan JE, Adriaens P, Dubravec D, Fonzar A, Fourmousis I, Mayfield L, Rossi R, Silvestri M, Tiedemann C, Topoll H, Vangsted T, Wallkamm B. Enamel matrix proteins in the regenerative therapy of deep intrabony defects. *J Periodontol.* 2002;29:317-325.

Tonetti MS, Fourmousis I, Suvan J, Cortellini P, Brägger U, Lang NP; European Research Group on Periodontology (ERGOPERIO). Healing, post-operative morbidity and patient perception of outcomes following regenerative therapy of deep intrabony defects. *J Clin Periodontol.* 2004;31(12):1092-1098. doi: 10.1111/j.1600-051X.2004.00615.x.

Trombelli L, Simonelli A, Minenna L, Rasperini G, Farina R. Effect of a Connective Tissue Graft in Combination With a Single Flap Approach in the Regenerative Treatment of Intraosseous Defects. *J Periodontol.* 2017 Apr;88(4):348-356. doi: 10.1902/jop.2016.160471.

Verardi S. The use of a membrane and/or a bone graft may not improve the effects of enamel matrix derivatives in infrabony defects. *J Evid Based Dent Pract.* 2012 Sep;12(3 Suppl):127-8. doi: 10.1016/S1532-3382(12)70024-6.

Wachtel H, Schenk G, Böhm S, Weng D, Zuhör O, Hürzeler MB. Microsurgical access flap and enamel matrix derivative for the treatment of periodontal intrabony defects: a controlled clinical study. *J Clin Periodontol.* 2003;30(6):496-504.

Wennström JL, Lindhe J. Some effects of enamel matrix proteins on wound healing in the dento-gingival region. *J Clin Periodontol.* 2002;29(1):9-14.

Windisch P, Sculean A, Klein F, Tóth V, Gera I, Reich E, Eickholz P. Comparison of clinical, radiographic, and histometric measurements following treatment with guided tissue regeneration or enamel matrix proteins in human periodontal defects. *J Periodontol.* 2002;73:409-417. doi: 10.1902/jop.2002.73.4.409.

Yilmaz S, Kuru B, Altuna-Kirac E. Enamel matrix proteins in the treatment of periodontal sites with horizontal type of bone loss. *J Clin Periodontol.* 2003;30:197-206.

Yilmaz S, Cakar G, Yildirim B, Sculean A. Healing of two and three wall intrabony periodontal defects following treatment with an enamel matrix derivative combined with autogenous bone. *J Clin Periodontol.* 2010 Jun;37(6):544-50. doi: 10.1111/j.1600-051X.2010.01567.x.

Zetterström O, Andersson C, Eriksson L, Fredriksson A, Friskopp J, Heden G, Jansson B, Lundgren T, Nilveus R, Olsson A, Renvert S, Salonen L, Sjöström L, Winell A, Ostgren A, Gestrelus S. Clinical safety of enamel matrix derivative (EMDODOGAIN) in the treatment of periodontal defects. *J Clin Periodontol.* 1997;24:697-704.

Zucchelli G, Bernardi F, Montebugnoli L, De SM. Enamel matrix proteins and guided tissue regeneration with titanium-reinforced expanded polytetrafluoroethylene membranes in the treatment of infrabony defects: a comparative controlled clinical trial. *J Periodontol.* 2002;73:3-12. doi: 10.1902/jop.2002.73.1.3.

Case studies

Agrali OB, Kuru BE. Periodontal treatment in a generalized severe chronic periodontitis patient: A case report with 7-year follow-up. *Eur J Dent.* 2015 Apr-Jun;9(2):288-92. doi: 10.4103/1305-7456.156844.

Aimetti M, Ferrarotti F, Mariani G, Fratini A, Giraudi M, Romano F. Enamel Matrix Derivative Proteins in Combination with a Flapless Approach for Periodontal Regeneration of Intrabony Defects: A 2-Year Prospective Case Series. *Int J Periodontics Restorative Dent.* 2016 Nov/Dec;36(6):797-805. doi: 10.11607/prd.2842.

Aslan S, Buduneli N, Cortellini P. Entire Papilla Preservation Technique: A Novel Surgical Approach for Regenerative Treatment of Deep and Wide Intrabony Defects. *Int J Periodontics Restorative Dent.* 2017 Mar/Apr;37(2):227-233. doi: 10.11607/prd.2584.

Bhatavadekar NB, Paquette DW. Long-term follow-up and tomographic assessment of an intrabony defect treated with enamel matrix derivative. *J Periodontol.* 2008 Sep;79(9):1802-8. doi: 10.1902/jop.2008.070636.

Bonta H, Llambes F, Moretti AJ, Mathur H, Bouwsma OJ. The use of enamel matrix protein in the treatment of localized aggressive periodontitis: a case report. *Quintessence Int.* 2003;34:247-252.

Cardaropoli G, Leonhardt AS. Enamel matrix proteins in the treatment of deep intrabony defects. *J Periodontol.* 2002;73:501-504. doi: 10.1902/jop.2002.73.5.501.

Cortellini P, Tonetti MS. Clinical performance of a regenerative strategy for intrabony defects: scientific evidence and clinical experience. *J Periodontol.* 2005;76:341-350. doi: 10.1902/jop.2005.76.3.341.

Cortellini P, Tonetti MS. A minimally invasive surgical technique with an enamel matrix derivative in the regenerative treatment of intrabony defects: a novel approach to limit morbidity. *J Clin Periodontol.* 2007;34:87-93. doi: 10.1111/j.1600-051X.2006.01020.x.

Harrel SK, Wilson TG, Nunn ME. Prospective assessment of the use of enamel matrix proteins with minimally invasive surgery. *J Periodontol.* 2005;76:380-384. doi: 10.1902/jop.2005.76.3.380.

Heard RHRH, Mellonig JT, Brunsvold MA, Lasho DJ, Meffert RM, Cochran DL. Clinical evaluation of wound healing following multiple exposures to enamel matrix protein derivative in the treatment of intrabony periodontal defects. *J Periodontol.* 2000;71:1715-1721. doi: 10.1902/jop.2000.71.11.1715.

Heden G, Wennström JL. Five-year follow-up of regenerative periodontal therapy with enamel matrix derivative at sites with angular bone defects. *J Periodontol.* 2006;77:295-301. doi: 10.1902/jop.2006.050071.

Heden G. A case report study of 72 consecutive Emdogain®-treated intrabony periodontal defects: clinical and radiographic findings after 1 year. *Int J Periodontics Restorative Dent.* 2000;20:127-139.

Heden G, Wennström J, Lindhe J. Periodontal tissue alterations following Emdogain® treatment of periodontal sites with angular bone defects. A series of case reports. *J Clin Periodontol.* 1999;26:855-860.

Kasaj A, Gortan-Kasaj A, Briseno-Marroquin B, Willershausen B. Treatment of severe localized periodontal destruction associated with a cemental tear: a case report and review of the literature. *Gen Dent.* 2009 Jan-Feb;57(1):e5-9.

Kiernicka M, Owczarek B, Gałkowska E, Wysokińska-Miszczuk J. Use of Emdogain® enamel matrix proteins in the surgical treatment of aggressive periodontitis. *Ann Univ Mariae Curie Skłodowska [Med].* 2003;58: 397-401.

Majzoub Z, Bobbo M, Atiyeh F, Cordioli G. Two patterns of histologic healing in an intrabony defect following treatment with enamel matrix derivative: a human case report. *Int J Periodontics Restorative Dent.* 2005;25(3):283-294.

Manor A. Periodontal regeneration with enamel matrix derivative – case reports. *J Int Acad Periodontol.* 2000;2:44-48.

Mellonig JT. Enamel matrix derivative for periodontal reconstructive surgery: technique and clinical and histologic case report. *Int J Periodontics Restorative Dent.* 1999;19(1):9-19.

Mitani A, Takasu H, Horibe T, Furuta H, Nagasaka T, Aino M, Fukuda M, Fujimura T, Mogi M, Noguchi T. Five-year clinical results for treatment of intrabony defects with EMD, guided tissue regeneration and open-flap debridement: a case series. *J Periodontal Res.* 2015 Feb;50(1):123-30. doi: 10.1111/jre.12188.

Pietruska MD, Pietruski JK, Stokowska W. Clinical and radiographic evaluation of periodontal therapy using enamel matrix derivative (Emdogain). *Rocznik Akademii Medycznej w Białymostku.* 2001;46:198-208.

Rasperini G, Acunzo R, Barnett A, Pagni G. The soft tissue wall technique for the regenerative treatment of non-contained infrabony defects: a case series. *Int J Periodontics Restorative Dent.* 2013 May-Jun;33(3):e79-87. doi: 10.11607/prd.1628.

Rasperini G, Silvestri M, Ricci G. Long-term clinical observation of treatment of infrabony defects with enamel matrix derivative (Emdogain): surgical reentry. *Int J Periodontics Restorative Dent.* 2005;25(2):121-127.

Rasperini G, Ricci G, Silvestri M. Surgical technique for treatment of infrabony defects with enamel matrix derivative (Emdogain): 3 case reports. *Int J Periodontics Restorative Dent.* 1999;19:578-587.

Rethman MP. Treatment of a palatal-gingival groove using enamel matrix derivative. *Compend Contin Educ Dent.* 2001;22:792-797.

Rosen PS, Reynolds MA. A retrospective case series comparing the use of demineralized freeze-dried bone allograft and freeze-dried bone allograft combined with enamel matrix derivative for the treatment of advanced osseous lesions. *J Periodontol.* 2002 Aug;73(8):942-9.

Sculean A, Schwarz F, Chiantella GC, Arweiler NB, Becker J. Nine-year results following treatment of intrabony periodontal defects with an enamel matrix derivative: report of 26 cases. *Int J Periodontics Restorative Dent.* 2007 Jun;27(3):221-9.

Sculean A, Donos N, Schwarz F, Becker J, Brecx M, Arweiler NB. Five-year results following treatment of intrabony defects with enamel matrix proteins and guided tissue regeneration. *J Clin Periodontol.* 2004;31:545-549. doi: 10.1111/j.1600-051X.2004.00518.x.

Sculean A, Junker R, Donos N, Windisch P, Brecx M, Dünker N. Immunohistochemical evaluation of matrix molecules associated with wound healing following treatment with an enamel matrix protein derivative in humans. *Clin Oral Investig.* 2003;7:167-174. doi: 10.1007/s00784-003-0212-9.

Sculean A, Chiantella GC, Miliauskaitė A, Brecx M, Arweiler NB. Four-year results following treatment of intrabony periodontal defects with an enamel matrix protein derivative: a report of 46 cases. *Int J Periodontics Restorative Dent.* 2003;23(4):345-351.

Sculean A, Blaes A, Arweiler N, Reich E, Donos N, Brecx M. The effect of postsurgical antibiotics on the healing of intrabony defects following treatment with enamel matrix proteins. *J Periodontol.* 2001;72:190-195. doi: 10.1902/jop.2001.72.2.190.

Sculean A, Chiantella GC, Windisch P, Donos N. Clinical and histologic evaluation of human intrabony defects treated with an enamel matrix protein derivative (Emdogain). *Int J Periodontics Restorative Dent.* 2000;20:374-381.

Sculean A, Reich E, Chiantella GC, Brecx M. Treatment of intrabony periodontal defects with an enamel matrix protein derivative (Emdogain): a report of 32 cases. *Int J Periodontics Restorative Dent.* 1999;19:157-163.

Seshima F, Nishina M, Namba T, Saito A. Periodontal Regenerative Therapy in Patient with Chronic Periodontitis and Type 2 Diabetes Mellitus: A Case Report. *Bull Tokyo Dent Coll.* 2016;57(2):97-104. doi: 10.2209/tdcpublication.2015-0041.

Siqueira SJ, Ribeiro FV, Villalpando KT, Cirano FR, Pimentel SP. Maintenance periodontal therapy after systemic antibiotic and regenerative therapy of generalized aggressive periodontitis. A case report with 10-year follow-up. *Dent Update.* 2015 May;42(4):385-6, 389-90, 392-3.

Silvestri M, Rasperini G, Euwe E. Enamel matrix derivative in the treatment of infrabony defects. *Pract Periodontics Aesthet Dent.* 1999;11:615-618.

Taniguchi Y, Aoki A, Sakai K, Mizutani K, Meinzer W, Izumi Y. A Novel Surgical Procedure for Er:YAG Laser-Assisted Periodontal Regenerative Therapy: Case Series. *Int J Periodontics Restorative Dent.* 2016 Jul-Aug;36(4):507-15. doi: 10.11607/prd.2515.

Trombelli L, Bottega S, Zucchelli G. Supracrestal soft tissue preservation with enamel matrix proteins in treatment of deep intrabony defects. *J Clin Periodontol.* 2002;29:433-439.

Tsitoura E, Tucker R, Suvan J, Laurell L, Cortellini P, Tonetti M. Baseline radiographic defect angle of the intrabony defect as a prognostic indicator in regenerative periodontal surgery with enamel matrix derivative. *J Clin Periodontol.* 2004;31:643-647. doi: 10.1111/j.1600-051X.2004.00555.x.

Yukna RA, Mellonig JT. Histologic evaluation of periodontal healing in humans following regenerative therapy with enamel matrix derivative. A 10-case series. *J Periodontol.* 2000;71:752-759. doi: 10.1902/jop.2000.71.5.752.

Zucchelli G, De Sanctis M. A novel approach to minimizing gingival recession in the treatment of vertical bony defects. *J Periodontol.* 2008 Mar;79(3):567-74. doi: 10.1902/jop.2008.070315.

Zucchelli G, Mele M, Checchi L. The papilla amplification flap for the treatment of a localized periodontal defect associated with a palatal groove. *J Periodontol.* 2006;77:1788-1796. doi: 10.1902/jop.2006.050333.

Clinical literature on Emdogain® in the treatment of furcation defects

Reviews

Sanz M, Jepsen K, Eickholz P, Jepsen S. Clinical concepts for regenerative therapy in furcations. *Periodontol 2000.* 2015 Jun;68(1):308-32. doi: 10.1111/prd.12081.

Clinical studies

Casarín RC, Ribeiro Edel P, Nociti FH Jr, Sallum AW, Ambrosano GM, Sallum EA, Casati MZ. Enamel matrix derivative proteins for the treatment of proximal class II furcation involvements: a prospective 24-month randomized clinical trial. *J Clin Periodontol.* 2010 Dec;37(12):1100-9. doi: 10.1111/j.1600-051X.2010.01614.x.

Casarín RC, Del Peloso Ribeiro E, Nociti FH Jr, Sallum AW, Sallum EA, Ambrosano GM, Casati MZ. A double-blind randomized clinical evaluation of enamel matrix derivative proteins for the treatment of proximal class-II furcation involvements. *J Clin Periodontol.* 2008 May;35(5):429-37. doi: 10.1111/j.1600-051X.2008.01202.x.

Chitsazai MT, Mostofi Zadeh Farahani R, Pourabbas M, Bahaeddin N. Efficacy of open flap debridement with and without enamel matrix derivatives in the treatment of mandibular degree II furcation involvement. *Clin Oral Investig.* 2007 Dec;11(4):385-9. doi: 10.1007/s00784-007-0134-z.

Hoffmann T, Richter S, Meyle J, Gonzales JR, Heinz B, Arjomand M, Sculean A, Reich E, Jepsen K, Jepsen S, Boedeker RH. A randomized clinical multicentre trial comparing enamel matrix derivative and membrane treatment of buccal class II furcation involvement in mandibular molars. Part III: patient factors and treatment outcome. *J Clin Periodontol.* 2006 Aug;33(8):575-83. doi: 10.1111/j.1600-051X.2006.00947.x.

Jaiswal R, Deo V. Evaluation of the effectiveness of enamel matrix derivative, bone grafts, and membrane in the treatment of mandibular Class II furcation defects. *Int J Periodontics Restorative Dent.* 2013 Mar-Apr;33(2):e58-64. doi: 10.11607/prd.1428.

Jepsen S, Heinz B, Jepsen K, Arjomand M, Hoffmann T, Richter S, Reich E, Sculean A, Gonzales JR, Bödeker RH, Meyle J. A randomized clinical trial comparing enamel matrix derivative and membrane treatment of buccal Class II furcation involvement in mandibular molars. Part I: Study design and results for primary outcomes. *J Periodontol.* 2004 Aug;75(8):1150-60. doi: 10.1902/jop.2004.75.8.1150.

Meyle J, Gonzales JR, Bödeker RH, Hoffmann T, Richter S, Heinz B, Arjomand M, Reich E, Sculean A, Jepsen K, Jepsen S. A randomized clinical trial comparing enamel matrix derivative and membrane treatment of buccal class II furcation involvement in mandibular molars. Part II: secondary outcomes. *J Periodontol.* 2004 Sep;75(9):1188-95. doi: 10.1902/jop.2004.75.9.1188.

Peres MF, Ribeiro ED, Casarin RC, Ruiz KG, Junior FH, Sallum EA, Casati MZ. Hydroxyapatite/β-tricalcium phosphate and enamel matrix derivative for treatment of proximal class II furcation defects: a randomized clinical trial. *J Clin Periodontol.* 2013 Mar;40(3):252-9. doi: 10.1111/jcpe.12054.

Queiroz LA, Casarin RCV, Dabdoub SM, Tatakis DN, Sallum EA, Kumar PS. Furcation Therapy With Enamel Matrix Derivative: Effects on the Subgingival Microbiome. *J Periodontol.* 2017 Jul;88(7):617-625. doi: 10.1902/jop.2017.160542.

Queiroz LA, Santamaria MP, Casati MZ, Ruiz KS, Nociti F Jr, Sallum AW, Sallum EA. Enamel matrix protein derivative and/or synthetic bone substitute for the treatment of mandibular class II buccal furcation defects. A 12-month randomized clinical trial. *Clin Oral Investig.* 2015 Nov 10. doi: 10.1007/s00784-015-1642-x.

Case studies

Aimetti M, Romano F, Pigella E, Piemontese M. Clinical evaluation of the effectiveness of enamel matrix proteins and autologous bone graft in the treatment of mandibular Class II furcation defects: a series of 11 patients. *Int J Periodontics Restorative Dent.* 2007 Oct;27(5):441-7.

Azim AA, Lloyd A, Huang GT. Management of longstanding furcation perforation using a novel approach. *J Endod.* 2014 Aug;40(8):1255-9. doi: 10.1016/j.joen.2013.12.013.

Casarín RC, Ribeiro Edel P, Ribeiro FV, Nociti FH Jr, Sallum AW, Sallum EA, Casati MZ. Influence of anatomic features on the effectiveness of enamel matrix derivative proteins in the treatment of proximal Class II furcation involvements. *Quintessence Int.* 2009 Oct;40(9):753-61.

Donos N, Glavind L, Karring T, Sculean A. Clinical evaluation of an enamel matrix derivative in the treatment of mandibular degree II furcation involvement: a 36-month case series. *Int J Periodontics Restorative Dent.* 2003 Oct;23(5):507-12.

Komiya-Ito A, Tomita S, Kinumatsu T, Fujimoto Y, Tsunoda M, Saito A. Longitudinal supportive periodontal therapy for severe chronic periodontitis with furcation involvement: a 12-year follow-up report. *Bull Tokyo Dent Coll.* 2013;54(4):243-50.

Queiroz LA, Santamaria M, Casati M, Silverio K, Nociti-Junior F, Sallum E. Enamel matrix protein derivative plus synthetic bone substitute for the treatment of mandibular Class II furcation defects: a case series. *Quintessence Int.* 2015 Mar;46(3):199-205. doi: 10.3290/j.qi.a32988.

Clinical literature on Emdogain® in the treatment of recession defects

Reviews

Cairo F, Pagliaro U, Buti J, Baccini M, Graziani F, Tonelli P, Pagavino G, Tonetti MS. Root coverage procedures improve patient aesthetics. A systematic review and Bayesian network meta-analysis. *J Clin Periodontol.* 2016 Nov;43(11):965-975. doi: 10.1111/jcpe.12603.

Cairo F, Nieri M, Pagliaro U. Efficacy of periodontal plastic surgery procedures in the treatment of localized facial gingival recessions. A systematic review. *J Clin Periodontol.* 2014 Apr;41 Suppl 15:S44-62. doi: 10.1111/jcpe.12182.

Cairo F, Pagliaro U, Nieri M. Treatment of gingival recession with coronally advanced flap procedures: a systematic review. *J Clin Periodontol.* 2008 Sep;35(8 Suppl):136-62. doi: 10.1111/j.1600-051X.2008.01267.x.

Chambrone L, Tatakis DN. Periodontal soft tissue root coverage procedures: a systematic review from the AAP Regeneration Workshop. *J Periodontol.* 2015 Feb;86(2 Suppl):S8-51. doi: 10.1902/jop.2015.130674.

Cheng GL, Fu E, Tu YK, Shen EC, Chiu HC, Huang RY, Yuh DY, Chiang CY. Root coverage by coronally advanced flap with connective tissue graft and/or enamel matrix derivative: a meta-analysis. *J Periodontal Res.* 2015 Apr;50(2):220-30. doi: 10.1111/jre.12199.

Cheng YF, Chen JW, Lin SJ, Lu HK. Is coronally positioned flap procedure adjunct with enamel matrix derivative or root conditioning a relevant predictor for achieving root coverage? A systematic review. *J Periodontal Res.* 2007 Oct;42(5):474-85. doi: 10.1111/j.1600-0765.2007.00971.x.

de Sanctis M, Clementini M. Flap approaches in plastic periodontal and implant surgery: critical elements in design and execution. *J Clin Periodontol.* 2014 Apr;41 Suppl 15:S108-22. doi: 10.1111/jcpe.12189.

Koop R, Merheb J, Quirynen M. Periodontal regeneration with enamel matrix derivative in reconstructive periodontal therapy: a systematic review. *J Periodontol.* 2012 Jun;83(6):707-20. doi: 10.1902/jop.2011.110266.

Madeley E, Duane B. Coronally advanced flap combined with connective tissue graft; treatment of choice for root coverage following recession? *Evid Based Dent.* 2017 Mar;18(1):6-7. doi: 10.1038/sj.ebd.6401215.

Sculean A, Windisch P, Döri F, Keglevich T, Molnár B, Gera I. Emdogain in regenerative periodontal therapy. A review of the literature. *Fogorv Sz.* 2007 Oct;100(5):220-32, 211-9.

Tatakis DN, Chambrone L, Allen EP, Langer B, McGuire MK, Richardson CR, Zabalegui I, Zadeh HH. Periodontal soft tissue root coverage procedures: a consensus report from the AAP Regeneration Workshop. *J Periodontol.* 2015 Feb;86(2 Suppl):S52-5. doi: 10.1902/jop.2015.140376.

Tonetti MS, Jepsen S; Working Group 2 of the European Workshop on Periodontology. Clinical efficacy of periodontal plastic surgery procedures: consensus report of Group 2 of the 10th European Workshop on Periodontology. *J Clin Periodontol.* 2014 Apr;41 Suppl 15:S36-43. doi: 10.1111/jcpe.12219.

Clinical studies

Alexiou A, Vouros I, Menexes G, Konstantinidis A. Comparison of enamel matrix derivative (Emdogain) and subepithelial connective tissue graft for root coverage in patients with multiple gingival recession defects: A randomized controlled clinical study. *Quintessence Int.* 2017;48(5):381-389. doi: 10.3290/j.qi.a38058.

Alkan EA, Parlar A. Enamel matrix derivative (emdogain) or subepithelial connective tissue graft for the treatment of adjacent multiple gingival recessions: a pilot study. *Int J Periodontics Restorative Dent.* 2013 Sep-Oct;33(5):619-25. doi: 10.11607/prd.1337.

Alkan EA, Parlar A. EMD or subepithelial connective tissue graft for the treatment of single gingival recessions: a pilot study. *J Periodontal Res.* 2011 Dec;46(6):637-42. doi: 10.1111/j.1600-0765.2011.01381.x.

Berlucchi I, Francetti L, Del Fabbro M, Basso M, Weinstein RL. The influence of anatomical features on the outcome of gingival recessions treated with coronally advanced flap and enamel matrix derivative: a 1-year prospective study. *Periodontol.* 2005 Jun;76(6):899-907. doi: 10.1902/jop.2005.76.6.899.

Berlucchi I, Francetti L, Del Fabbro M, Testori T, Weinstein RL. Enamel matrix proteins (Emdogain) in combination with coronally advanced flap or subepithelial connective tissue graft in the treatment of shallow gingival recessions. *Int J Periodontics Restorative Dent.* 2002 Dec;22(6):583-93.

Castellanos A, de la Rosa M, de la Garza M, Caffesse RG. Enamel matrix derivative and coronal flaps to cover marginal tissue recessions. *J Periodontol.* 2006 Jan;77(1):7-14. doi: 10.1902/jop.2006.77.1.7.

Costa PP, Alves LB, Souza SL, Grisi MF, Palioto DB, Taba M Jr, Novaes AB Jr. Root Coverage in Smokers with Acellular Dermal Matrix Graft and Enamel Matrix Derivative: A 12-Month Randomized Clinical Trial. *Int J Periodontics Restorative Dent.* 2016 Jul-Aug;36(4):525-31. doi: 10.11607/prd.2560.

Cueva MA, Boltchi FE, Hallmon WW, Nunn ME, Rivera-Hidalgo F, Rees T. A comparative study of coronally advanced flaps with and without the addition of enamel matrix derivative in the treatment of marginal tissue recession. *J Periodontol.* 2004 Jul;75(7):949-56. doi: 10.1902/jop.2004.75.7.949.

Del Pizzo M, Zucchelli G, Modica F, Villa R, Debernardi C. Coronally advanced flap with or without enamel matrix derivative for root coverage: a 2-year study. *J Clin Periodontol.* 2005 Nov;32(11):1181-7. doi: 10.1111/j.1600-051X.2005.00831.x.

Gunay H, Dogan S, Geurtsen W. Harvesting technique using a mucotome and modified surgical procedure for root coverage with enamel matrix derivatives with and without a connective tissue graft. *Int J Periodontics Restorative Dent.* 2008 Oct;28(5):497-507.

Henriques PS, Pelegrine AA, Nogueira AA, Borghi MM. Application of subepithelial connective tissue graft with or without enamel matrix derivative for root coverage: a split-mouth randomized study. *J Oral Sci.* 2010 Sep;52(3):463-71.

McGuire MK, Scheyer ET, Schupbach P. A Prospective, Case-Controlled Study Evaluating the Use of Enamel Matrix Derivative on Human Buccal Recession Defects: A Human Histologic Examination. *J Periodontol.* 2016 Jun;87(6):645-53. doi: 10.1902/jop.2016.150459.

McGuire MK, Scheyer ET, Nunn M. Evaluation of human recession defects treated with coronally advanced flaps and either enamel matrix derivative or connective tissue: comparison of clinical parameters at 10 years. *J Periodontol.* 2012 Nov;83(11):1353-62. doi: 10.1902/jop.2012.110373.

McGuire MK, Cochran DL. Evaluation of human recession defects treated with coronally advanced flaps and either enamel matrix derivative or connective tissue. Part 2: Histological evaluation. *J Periodontol.* 2003 Aug;74(8):1126-35. doi: 10.1902/jop.2003.74.8.1126.

McGuire MK, Nunn M. Evaluation of human recession defects treated with coronally advanced flaps and either enamel matrix derivative or connective tissue. Part 1: Comparison of clinical parameters. *J Periodontol.* 2003 Aug;74(8):1110-25. doi: 10.1902/jop.2003.74.8.1110.

Moses O, Artzi Z, Sculean A, Tal H, Kozlovsky A, Romanos GE, Nemcovsky CE. Comparative study of two root coverage procedures: a 24-month follow-up multicenter study. *J Periodontol.* 2006 Feb;77(2):195-202. doi: 10.1902/jop.2006.050008.

Pilloni A, Paolantonio M, Camargo PM. Root coverage with a coronally positioned flap used in combination with enamel matrix derivative: 18-month clinical evaluation. *J Periodontol.* 2006 Dec;77(12):2031-9. doi: 10.1902/jop.2006.050390.

Rasperini G, Rocuzzo M, Francetti L, Acunzo R, Consonni D, Silvestri M. Subepithelial connective tissue graft for treatment of gingival recessions with and without enamel matrix derivative: a multicenter, randomized controlled clinical trial. *Int J Periodontics Restorative Dent.* 2011 Apr;31(2):133-9.

Shin SH, Cueva MA, Kerns DG, Hallmon WW, Rivera-Hidalgo F, Nunn ME. A comparative study of root coverage using acellular dermal matrix with and without enamel matrix derivative. *J Periodontol.* 2007 Mar;78(3):411-21. doi: 10.1902/jop.2007.060170.

Spahr A, Haegewald S, Tsoulfidou F, Rompolas E, Heijl L, Bernimoulin JP, Ring C, Sander S, Haller B. Coverage of Miller class I and II recession defects using enamel matrix proteins versus coronally advanced flap technique: a 2-year report. *J Periodontol.* 2005 Nov;76(11):1871-80. doi: 10.1902/jop.2005.76.11.1871.

Cases studies

Abbas F, Wennström J, Van der Weijden F, Schneiders T, Van der Velden U. Surgical treatment of gingival recessions using emdogain gel: clinical procedure and case reports. *Int J Periodontics Restorative Dent.* 2003 Dec;23(6):607-13.

Carnio J, Camargo PM, Kenney EB, Schenk RK. Histological evaluation of 4 cases of root coverage following a connective tissue graft combined with an enamel matrix derivative preparation. *J Periodontol.* 2002 Dec;73(12):1534-43. doi: 10.1902/jop.2002.73.12.1534.

Heijl L. Periodontal regeneration with enamel matrix derivative in one human experimental defect. A case report. *J Clin Periodontol.* 1997;24:693-696.

Ito K, Akutagawa H. Periosteal connective tissue grafting or root coverage with enamel matrix derivative: a case report. *J Esthet Restor Dent.* 2001;13(3):172-8.

Ito K, Ito K, Owa M. Connective tissue grafting for root coverage in multiple Class III gingival recessions with enamel matrix derivative: a case report. *Pract Periodontics Aesthet Dent.* 2000 Jun-Jul;12(5):441-6; quiz 448.

Kuru BE. Treatment of localized gingival recessions using enamel matrix derivative as an adjunct to laterally sliding flap: 2 case reports. *Quintessence Int.* 2009 Jun;40(6):461-9.

Kuru B, Yilmaz S, Noyan U. Treatment of gingival recession using enamel matrix proteins: a case report with 4-year follow-up. *Quintessence Int.* 2007 May;38(5):e254-62.

Lafzi A, Farahani RM, Tubbs RS, Roushangar L, Shoja MM. Enamel matrix derivative Emdogain as an adjuvant for a laterally-positioned flap in the treatment of gingival recession: an electron microscopic appraisal. *Folia Morphol (Warsz).* 2007 May;66(2):100-3.

Nozawa T, Sugiyama T, Satoh T, Tanaka K, Enomoto H, Ito K. Connective tissue-bone onlay graft with enamel matrix derivative for treatment of gingival recession: a case report. *Int J Periodontics Restorative Dent.* 2002 Dec;22(6):559-65.

Parra C, Jeong YN, Hawley CE. Guided Tissue Regeneration Involving Piercing-Induced Lingual Recession: A Case Report. *Int J Periodontics Restorative Dent.* 2016 Nov/Dec;36(6):869-875. doi: 10.11607/prd.2968.

Rasperini G, Silvestri M, Schenk RK, Nevins ML. Clinical and histologic evaluation of human gingival recession treated with a subepithelial connective tissue graft and enamel matrix derivative (Emdogain): a case report. *Int J Periodontics Restorative Dent.* 2000 Jun;20(3):269-75.

Sato S, Yamada K, Kato T, Haryu K, Ito K. Treatment of Miller Class III recessions with enamel matrix derivative (Emdogain) in combination with subepithelial connective tissue grafting. *Int J Periodontics Restorative Dent.* 2006 Feb;26(1):71-7.

Sculean A, Cosgarea R, Stähli A, Katsaros C, Arweiler NB, Miron RJ, Deppe H. Treatment of multiple adjacent maxillary Miller Class I, II, and III gingival recessions with the modified coronally advanced tunnel, enamel matrix derivative, and subepithelial connective tissue graft: A report of 12 cases. *Quintessence Int.* 2016;47(8):653-9. doi: 10.3290/j.qi.a36562.

Sculean A, Cosgarea R, Stähli A, Katsaros C, Arweiler NB, Brecx M, Deppe H. The modified coronally advanced tunnel combined with an enamel matrix derivative and subepithelial connective tissue graft for the treatment of isolated mandibular Miller Class I and II gingival recessions: a report of 16 cases. *Quintessence Int.* 2014 Nov-Dec;45(10):829-35. doi: 10.3290/j.qi.a32636.

Zucchelli G, Mazzotti C, Tirone F, Mele M, Bellone P, Mounssif I. The connective tissue graft wall technique and enamel matrix derivative to improve root coverage and clinical attachment levels in Miller Class IV gingival recession. *Int J Periodontics Restorative Dent.* 2014 Sep-Oct;34(5):601-9.