





Who we are

Camark SA is a company born in 2016 in Greece and is part of Cantel Medical Company. Our mission is the production of surgical sutures for different kinds of markets, with high quality materials and certificated production techniques.



• Location:

Industrial Park Axioupolis

Province: Kilkis Country: Greece

• **Total area** of 7.200 m2, which 2.000 m2 are Buildings:

Offices, Clean Room, Production, Warehouse.

- **Fully equipped** production and storage facilities for medical devices.
- **Production capacity**: 4.5 million pcs/year, with capability to multiply the capacity in order to meet every client's expectation.






Camark production

Our CleanRoom



- Construction 2017
- 300 sq.m.
- EU GMP classification: Grade D / ISO CLASS 8.
- The air handling systems are designed according to the requirements of ISO 14644-1 and ISO 14698: ISO 8.
- All areas have High Efficiency Particulate (HEPA) Filters.
- Temperature and relative humidity are controlled ensuring stability of the environmental condition during the manufacturing process.
- Interlock Doors to control the air flow (from inside to outside).
- Isolation Floor (special construction in Germany).
- Antimicrobial walls.
- 2-layers of Glass.
- All surfaces made of Stainless Steel.



How we work

Our Production, 4 steps for perfect sutures



The entire manufacturing area is designed to meet cleanliness standard equivalent to ISO Class 8. This provides an environment which protects from external contamination.

Camark has implemented clean room manufacturing process according to ISO 14644-1 standard.


The production area is controlled in terms of air filtering and ventilating system, which provides constant concentration of particles inside the two different spaces of our clean room. In every space of the cleanroom different production processes are performed in order to ensure a high quality end product.

How we work

Our Production, 4 steps for perfect sutures



2





Cutting + tipping

The process of cutting and tipping the surgical sutures.

A smooth cut of sutures to the desirable length and stiffening of the threads end secure an easy attachment into drilled needles.

Attaching process

Surgical sutures attaching machine provides a secure way to attach drilled end needles.

The operation is performed by placing the needle between the attaching dies and the suture material is inserted into the needle hole. Then, thanks to the pressing machine, the needle is crimped to the suture.

Quality control

Quality control is introduced in all aspects of production.

Each production process is subject to a strict quality control. Quality inspections and tests are conducted throughout the entire production flow.

Packaging + sterilization

Medical device packaging and sterilization.
Certified medical packaging materials and efficient ethylene oxide sterilization process ensure the production of an excellent quality product.

Why to choose Camark

We are Safe

- Factory built according to European and International Standards.
- Raw materials from reliable suppliers, chosen through rigorous selection processes.



We are Fast

- Easy and convenient delivery.
- Term of payment adjusted to the financing programs of our customers.
- Wide range of standard and customized solutions.
- Supply through reliable and authorized partners.



We are Easy

- New company with a 15-years deep knowledge of the dental market.
- Easy access to our facilities and our people with immediate information.
- Continuous evolvement and adaptation to new Technologies and Products.
- Tradition in long-term collaborations.
- Permanent and on-time information updates to our customers.
- Complete training of our customers and partners, with auxiliary materials such as brochures and skin trainers.



Which products we can offer

Our goal is to develop and produce the perfect suture for all of your dental procedures. We achieve this by choosing the best suppliers and keeping our production and quality updated with the high standards of Pharmacopeia (US & EP).

Monofilament and Multifilament




MONOFILAMENT

- Encounter less resistance as they pass through tissue.
- They resist harboring organisms.
- These characteristics make monofilament sutures well-suited to vascular surgery.
- Extreme care must be taken when handling and tying these sutures.
- Crushing or bending of this suture type can create a weak spot in the strand. This may result in suture breakage.
- Monofilaments usually require more knots to prevent slippage.




MULTIFILAMENT


- They offer greater tensile strength and flexibility Pliability, easier to handle.
- Multifilament sutures may be coated to help them pass relatively smoothly through tissue and enhance handling characteristics.
- Coated multifilament sutures are well-suited to intestinal procedures.



- PTFE
- POLYAMIDE
- POLYPROPYLENE
- PGCL
- PDO



- POLYESTER
- PGA
- PGI A
- PGLA RAPID



Which products we can offer

Absorbable vs. Non Absorbable

ABSORBABLE


PRO

- body left.

• Broken down by body.

CONTRA

- Consideration of wound support time.
- Attention to the absorption time.



- PGA
- PGLA
- PGLA RAPID
- PGCL
- PDO

NON ABSORBABLE


PRO

• Permanent wound support.



CONTRA

- Foreign body left.
- Suture removal can be costly and inconvenient.
- Sinus & extrusion if left in place.



- PTFF
- SILK
- POLYAMIDE
- POLYPROPYLENE
- POLYESTER

Synthetic vs. Biological

SYNTHETIC

PRO

- Non-absorbable are inert/inactive
- Absorbable resemble natural substances
- Absorption by hydrolysis
- Predictable absorption
- Strength

CONTRA

Monofilament handling

BIOLOGICAL



PRO


Handling & knotting Economy

CONTRA

Tissues Reaction

Threads & Needle technical data

Thread details



Most common in medical & veterinary

4 3 2 1 0 2/0 3/0 4/0 5/0 6/0 7/0 8/0

Most common in dental


Thread length:

Most common in medical & veterinary


45cm 50cm 60cm 75cm 90cm 100cm 150cm 180cm

Most common in dental


Needle Shape




Eye Microsurgery




Muscle Eye, Oral Skin Peritoneum




Dura Oral Fascia Nerve



Cardiovascular Oral Pelvis Urogenital tract



Eye (Anterior segment)



Laparoscopy




Nerve Skin Tendon



Threads & Needle technical data

Needle shape



Length: distance measured along the circumference of the needle, from the point to the swage. It is depicted on the packaging.

Shape: different surgeries or surgical techniques demand different needle shapes.

Point: the sharpened part of the needle that first penetrates the tissue. The point consist of the area from the sharpened tip of the needle to the widest cross section of the needle body. The point determines ease of penetration and the initial size and shape of the hole

Swage: Connection point of the suture and the needle.

Wire Diameter: gauge or thickness of the wire originally used to form the needle body.

Body: the part between the point and the swage of the needle.

Curvature: the fraction of the circle included in the curve of the needle.

Needle Point Types

Needle Type	Point Geometry	Description	Commonly used for
Reverse Cutting		Due to its cutting edges, this needle easily penetrates tissues and is suitable for almost all uses. It provides an excellent penetration capacity and great solidity, and is fit for sutures with periosteum incision and in case of thick mucosa.	oral surgery exodontia
Extra Reverse Cutting		Indictated for hard tissue, extra sharp needle has very sharp edge for good penetration and less trauma.	microsurgery periodontal
Taper Cut		Quadrangular pyramid-shaped point and a round body. This particular shape allows any easy penetration of soft tissues without causing lacerations, and preventing the needle from rotating in the needle-holder. This needle is appreciated and suitable for oral surgery.	implantology mucogingival
Round Body		Mainly used for soft tissues, and is characterized by a good penetration of tissues without causing lacerations or tissue damage.	soft tissue tissue infected

Needle details

Needle Size:				Most common in medical & veterinary								
8 mm	10 mm	12 mm	16 mm	19 mm	22 mm	24 mm	26 mm	30 mm	36 mm	40 mm	45 mm	50 mm
	most common in dental											

Needle Type:

3/8:	reverse cutting	round bodied	Taper Cut	
1/2:	reverse cutting	round bodied	Taper Cut	der and
Straight:	reverse cutting	round bodied	Taper Cut	

dental medical and veterinary

PGA SUTURES

MULTIFILAMENT - ABSORBABLE SYNTETICS - VIOLET - COATED

PGA sutures have synthetic origin and are made with a multi-thread consisting of braided Polyglycolic Acid, coated with a layer of Polycaprolactone copolymer. The woven structure offers a great ease of knotting and excellent hold of the knot also has a low bacterial adhesion. Suture resorption will be completed between the fiftieth and ninetieth day. The hold of the suture will be 65% of the total after 2 weeks and 35% of the total at the end of the third week. Thanks to the non-need to remove the stitches, it is a very versatile suture that lends itself to multiple uses in the field of oral surgery.



Material	Polyglycolic acid Synthetic Braided Violet
Thread diameter	from 4 to 7/0 (USP classification)
Tensile Strength	65% in the 2 nd week - 35% in the 3 rd week
Absorption	50 -90 days

Characteristics:

- Easy to knot and excellent knot stability
- Low microbial load

Application:

Very versatile suture that lends itself to multiple uses in the field of oral surgery.

Thread size	Needle type	Point type	Needle length	Needle curving	Wire length	Code	Pcs./box
3/0	Reverse Cutting	▼	24 mm	3/8 circle	55 cm	32.Z6500.00	24
3/0	Reverse Cutting	▼	26 mm	3/8 circle	55 cm	32.Z6501.00	24
3/0	Round body	•	20 mm	1/2 circle	55 cm	32.Z6502.00	24
4/0	Reverse Cutting	•	24 mm	3/8 circle	55 cm	32.Z6503.00	24
4/0	Reverse Cutting	▼	26 mm	3/8 circle	55 cm	32.Z6504.00	24
4/0	Round body	\odot	12 mm	1/2 circle	55 cm	32.Z6505.00	24
4/0	Round body	•	26 mm	1/2 circle	55 cm	32.Z6506.00	24
5/0	Round body	\bullet	12 mm	1/2 circle	55 cm	32.Z6507.00	24
5/0	Round body	•	17 mm	1/2 circle	55 cm	32.Z6508.00	24
3/0	Reverse Cutting	▼	16 mm	3/8 circle	55 cm	32.Z6509.00	24
3/0	Reverse Cutting	▼	19 mm	3/8 circle	55 cm	32.Z6510.00	24
3/0	Round body	•	17 mm	1/2 circle	55 cm	32.Z6511.00	24
3/0	Round body	•	22 mm	1/2 circle	55 cm	32.Z6512.00	24
3/0	Round body	\odot	26 mm	1/2 circle	55 cm	32.Z6513.00	24
4/0	Reverse Cutting	▼	16 mm	3/8 circle	55 cm	32.Z6514.00	24
4/0	Reverse Cutting	•	19 mm	3/8 circle	55 cm	32.Z6515.00	24
4/0	Round body	•	17 mm	1/2 circle	55 cm	32.Z6516.00	24
4/0	Round body	lacktriangle	20 mm	1/2 circle	55 cm	32.Z6517.00	24
4/0	Round body	•	22 mm	1/2 circle	55 cm	32.Z6518.00	24
5/0	Reverse Cutting	▼	12 mm	3/8 circle	55 cm	32.Z6519.00	24
5/0	Reverse Cutting	•	16 mm	3/8 circle	55 cm	32.Z6520.00	24
5/0	Reverse Cutting	▼	19 mm	3/8 circle	55 cm	32.Z6521.00	24
6/0	Reverse Cutting	•	12 mm	3/8 circle	55 cm	32.Z6522.00	24
6/0	Reverse Cutting	•	10 mm	3/8 circle	55 cm	32.Z6523.00	24

PGLA SUTURES

MULTIFILAMENT - ABSORBABLE SYNTETICS - VIOLET - COATED

PGLA Synthetic Absorbable Surgical Suture elicits a minimal acute inflammatory reaction in tissues, which is followed by gradual encapsulation of the suture by fibrous connective tissue. Progressive loss of tensile strength and eventual absorption of PGLA Synthetic Absorbable Surgical Suture occurs by means of hydrolysis, where the polymer degrades to glycolic and lactic acids which are subsequently absorbed and metabolized in the body. Absorption begins as a loss of tensile strength without appreciable loss of mass. PGLA retains approximately 50% of the average E.P. tensile strength requirement at the end of the 3rd post implantation week. The absorption of the suture is essentially complete between 56-70 days.



Material	Composed of a copolymer made from 90% glycolide and 10% L-lactide. PGLA suture is provided coated with Poly(glycolide-co-lactide) (30/70) + calcium stearate.
Thread diameter	from 2 to 7/0 (USP classification)
Tensile Strength	50% in the 3rd week
Absorption	56 -70 days

Characteristics:

excellent tissue support, minimal tissue reaction, high flexibility, excellent knot security

Application:

Very versatile suture that lends itself to multiple uses in the field of oral surgery.

Thread size	Needle type	Point type	Needle length	Needle curving	Wire length	Code	Pcs./box
3/0	Reverse Cutting	•	24 mm	3/8 circle	55 cm	32.Z6600.00	24
3/0	Reverse Cutting	•	26 mm	3/8 circle	55 cm	32.Z6601.00	24
3/0	Round body	•	20 mm	1/2 circle	55 cm	32.Z6602.00	24
4/0	Reverse Cutting	•	24 mm	3/8 circle	55 cm	32.Z6603.00	24
4/0	Reverse Cutting	•	26 mm	3/8 circle	55 cm	32.Z6604.00	24
4/0	Round body	•	12 mm	1/2 circle	55 cm	32.Z6605.00	24
4/0	Round body	•	26 mm	1/2 circle	55 cm	32.Z6606.00	24
5/0	Round body	•	12 mm	1/2 circle	55 cm	32.Z6607.00	24
5/0	Round body	•	17 mm	1/2 circle	55 cm	32.Z6608.00	24
6/0	Reverse Cutting	•	12 mm	3/8 circle	55 cm	32.Z6609.00	24
6/0	Reverse Cutting	•	10 mm	3/8 circle	55 cm	32.Z6610.00	24
3/0	Reverse Cutting	\blacksquare	16 mm	3/8 circle	55 cm	32.Z6611.00	24
3/0	Reverse Cutting	•	19 mm	3/8 circle	55 cm	32.Z6612.00	24
3/0	Round body	•	17 mm	1/2 circle	55 cm	32.Z6613.00	24
3/0	Round body	•	22 mm	1/2 circle	55 cm	32.Z6614.00	24
3/0	Round body	\odot	26 mm	1/2 circle	55 cm	32.Z6615.00	24
4/0	Reverse Cutting	•	16 mm	3/8 circle	55 cm	32.Z6616.00	24
4/0	Reverse Cutting	•	19 mm	3/8 circle	55 cm	32.Z6617.00	24
4/0	Round body	•	17 mm	1/2 circle	55 cm	32.Z6618.00	24
4/0	Round body	•	20 mm	1/2 circle	55 cm	32.Z6619.00	24
4/0	Round body	•	22 mm	1/2 circle	55 cm	32.Z6620.00	24
5/0	Reverse Cutting	▼	12 mm	3/8 circle	55 cm	32.Z6621.00	24
5/0	Reverse Cutting	•	16 mm	3/8 circle	55 cm	32.Z6622.00	24
5/0	Reverse Cutting	•	19 mm	3/8 circle	55 cm	32.Z6623.00	24

PGLA RAPID SUTURES

MULTIFILAMENT - ABSORBABLE SYNTETICS - UNDYED - COATED

Composed of a copolymer made from 90% glycolide and 10% L-lactide. The special coating offers a great ease of knotting and excellent hold of the knot also has a low bacterial adhesion.

Suture absorption will be completed in 42 days by hydrolysis. The hold of the suture will be 50% of the total after 5 days and total loss between 10 to 14 days. Thanks to the non-need to remove the stitches, it is a very versatile suture that lends itself to multiple uses in the field of oral surgery.



Material	Polyglactin 910 Synthetic Braided Undyed				
Thread diameter	from 2 to 6/0 (USP classification)				
Tensile Strength	50% in the 5th day				
Absorption	42 days				

Characteristics:

- Smooth passage through tissue
- Easy knotting
- Minimal inflammatory reaction
- Low memory

Application:

Multiple uses in the field of oral surgery when short-term support is needed.

Thread size	Needle type	Point type	Needle length	Needle curving	Wire length	Code	Pcs./box
3/0	Reverse Cutting	▼	24 mm	3/8 circle	55 cm	32.Z6700.00	24
3/0	Reverse Cutting	•	23 mm	1/2 circle	55 cm	32.Z6701.00	24
3/0	Round	•	20 mm	1/2 circle	55 cm	32.Z6702.00	24
3/0	Reverse Cutting	\blacksquare	19 mm	3/8 circle	55 cm	32.Z6703.00	24
3/0	Reverse Cutting	▼	18 mm	1/2 circle	55 cm	32.Z6704.00	24
3/0	Round	\bullet	22 mm	1/2 circle	55 cm	32.Z6705.00	24
3/0	Round	•	26 mm	1/2 circle	55 cm	32.Z6706.00	24
4/0	Reverse Cutting	\blacksquare	12 mm	3/8 circle	55 cm	32.Z6707.00	24
4/0	Reverse Cutting	▼	16 mm	3/8 circle	55 cm	32.Z6708.00	24
4/0	Reverse Cutting	\blacksquare	19 mm	3/8 circle	55 cm	32.Z6709.00	24
4/0	Reverse Cutting	▼	17 mm	1/2 circle	55 cm	32.Z6710.00	24
4/0	Round	\odot	20 mm	1/2 circle	55 cm	32.Z6711.00	24
4/0	Round	•	22 mm	1/2 circle	55 cm	32.Z6712.00	24
5/0	Reverse Cutting	\blacksquare	12 mm	3/8 circle	55 cm	32.Z6713.00	24
5/0	Reverse Cutting	•	16 mm	3/8 circle	55 cm	32.Z6714.00	24

PGCL SUTURES

MONOFILAMENT - ABSORBABLE SYNTETICS - VIOLET

Composed of a copolymer of Polyglycolic acid and Polycaprolactone. In periodontal surgery its monofilament characteristics allow for less plaque retention. The progressive loss of tensile strength and suture absorption occurs by hydrolysis, in which the polymer degrades in to a dipic acid which is subsequently absorbed and metabolized by the tissues. Absorption begins as loss of tensile strength with out appreciable loss of mass. PGCL suture retention is 68-78% of the initial tensile strength after the first week and about 30% after the end of the second week. Suture absorption is essentially complete after a period of 90-110 days. Its original tensile strength is up to 14 days and runs out after 28 days.



Material	Polyglycolic acid & polycaprolactone co-polymer PGA-PCL (75/25)			
Thread diameter	from 2 to 6/0 (USP classification)			
Tensile Strength	68% - 78% in the 1st week - 30% in the 2nd week & Total lost in 28 days			
Absorption	90-110 days			

Characteristics:

- Extremely manageable and smooth
- Low memory
- God knotting
- Minimal inflammatory reaction

Application:

- Flaps
- Regenerationy
- Implants
- Mucogingival Surgery
- Oral Surgery

Thread size	Needle type	Point type	Needle length	Needle curving	Wire length	Code	Pcs./box
3/0	Reverse Cutting	▼	24 mm	3/8 circle	55 cm	32.Z6800.00	24
3/0	Reverse Cutting	\blacksquare	26 mm	3/8 circle	55 cm	32.Z6801.00	24
5/0	Round	•	12 mm	1/2 circle	55 cm	32.Z6802.00	24
3/0	Round	\odot	22 mm	1/2 circle	55 cm	32.Z6803.00	24
3/0	Round	•	26 mm	1/2 circle	55 cm	32.Z6804.00	24
4/0	Reverse Cutting	•	12 mm	3/8 circle	55 cm	32.Z6805.00	24
4/0	Reverse Cutting	▼	16 mm	3/8 circle	55 cm	32.Z6806.00	24
4/0	Reverse Cutting	•	19 mm	3/8 circle	55 cm	32.Z6807.00	24
4/0	Round	•	17 mm	1/2 circle	55 cm	32.Z6808.00	24
4/0	Round	lacktriangle	20 mm	1/2 circle	55 cm	32.Z6809.00	24
4/0	Round	•	22 mm	1/2 circle	55 cm	32.Z6810.00	24
5/0	Reverse Cutting	▼	12 mm	3/8 circle	55 cm	32.Z6811.00	24
5/0	Reverse Cutting	•	16 mm	3/8 circle	55 cm	32.Z6812.00	24

PDO SUTURES

MONOFILAMENT - ABSORBABLE SYNTETICS - VIOLET - COATED

PDO Surgical Suture is a sterile synthetic absorbable monofilament suture composed from polyester poly (p-dioxanone). The implantation of the PDO monofilament synthetic absorbable surgical suture elicits a minimal inflammatory reaction, which is followed by the development of fibrous connective tissue in place. Progressive loss of tensile strength and eventual absorption of the suture occurs by means of hydrolysis, where the polymer degrades to carbon dioxide and water which are subsequently absorbed and metabolized by the tissues. Absorption begins as a loss of tensile strength without appreciable loss of mass. The retention of PDO absorbable surgical suture is 65-70% of the original tensile strength after 4 weeks and 50-60% after 6 weeks. The absorption of the suture is essentially completed after a period of 180 - 220 days



Material	Polyester poly (p-dioxanone) PDO Synthetic Monofilament Violet			
Thread diameter	from 2 to 7/0 (USP classification)			
Tensile Strength	65% - 70% in the 4th week - 50% - 60% in the 6th week			
Absorption	180 - 220 days			

Characteristics:

extremely manageable and smooth, easier passage through tissue, decreased tissue reactivity, decreased risk of wound infection

Application:

Flaps, Oral Surgery, General Surgery

Thread size	Needle type	Point type	Needle length	Needle curving	Wire length	Code	Pcs./box
3/0	Reverse Cutting	▼	24 mm	3/8 circle	55 cm	32.Z6900.00	24
3/0	Reverse Cutting	•	26 mm	1/2 circle	55 cm	32.Z6901.00	24
3/0	Round	•	20 mm	1/2 circle	55 cm	32.Z6902.00	24
4/0	Reverse Cutting	\blacksquare	24 mm	3/8 circle	55 cm	32.Z6903.00	24
4/0	Round	•	12 mm	1/2 circle	55 cm	32.Z6904.00	24
5/0	Round	\bullet	12 mm	1/2 circle	55 cm	32.Z6905.00	24
3/0	Round	•	22 mm	1/2 circle	55 cm	32.Z6906.00	24
3/0	Round	•	26 mm	3/8 circle	55 cm	32.Z6907.00	24
4/0	Reverse Cutting	▼	16 mm	3/8 circle	55 cm	32.Z6908.00	24
4/0	Reverse Cutting	▼	19 mm	3/8 circle	55 cm	32.Z6909.00	24
4/0	Round	•	17 mm	1/2 circle	55 cm	32.Z6910.00	24
4/0	Round	•	20 mm	1/2 circle	55 cm	32.Z6911.00	24
4/0	Round	•	22 mm	1/2 circle	55 cm	32.Z6912.00	24
5/0	Reverse Cutting	•	12 mm	3/8 circle	55 cm	32.Z6913.00	24
5/0	Reverse Cutting	▼	16 mm	3/8 circle	55 cm	32.Z6914.00	24
5/0	Round	•	17 mm	3/8 circle	55 cm	32.Z6915.00	24

SILK SUTURES

MULTIFILAMENT - NON ABSORBABLE NATURAL - BLACK - COATED

Non-absorbable, multifilament suture made from natural silk. The thread has a silicon coating to create a smoother and uniform surface and is dyed black for enhanced visibility. It offers excellent penetration and high strength and is suitable for intersection of the periosteum and in the presence of substantial mucous membranes.



Material

100% Beeswax coated Silk | Biological | Braided | Black

Thread diameter

from 4 to 6/0 (USP classification)

Characteristics:

- Easy to use and flexible
- Secure knots
- High tensile strength

Low memory

• Low price

Application:Oral Surgery

Thread size	Needle type	Point type	Needle length	Needle curving	Wire length	Code	Pcs./box
3/0	Round	•	17 mm	1/2 circle	55 cm	32.Z6000.00	24
3/0	Round	\odot	22 mm	1/2 circle	55 cm	32.Z6001.00	24
3/0	Round	•	24 mm	1/2 circle	55 cm	32.Z6002.00	24
3/0	Reverse Cutting	▼	16 mm	3/8 circle	55 cm	32.Z6003.00	24
3/0	Reverse Cutting	V	19 mm	3/8 circle	55 cm	32.Z6004.00	24
3/0	Reverse Cutting	▼	22 mm	3/8 circle	55 cm	32.Z6005.00	24
3/0	Taper Cut	\bigcirc	18 mm	3/8 circle	55 cm	32.Z6006.00	24
3/0	Taper Cut	\bigcirc	17 mm	1/2 circle	55 cm	32.Z6007.00	24
3/0	Taper Cut	\bigcirc	22 mm	1/2 circle	55 cm	32.Z6008.00	24
4/0	Round	\odot	17 mm	1/2 circle	55 cm	32.Z6009.00	24
4/0	Round	•	22 mm	1/2 circle	55 cm	32.Z6010.00	24
4/0	Round	•	24 mm	1/2 circle	55 cm	32.Z6011.00	24
4/0	Reverse Cutting	•	12 mm	3/8 circle	55 cm	32.Z6012.00	24
4/0	Reverse Cutting	▼	16 mm	3/8 circle	55 cm	32.Z6013.00	24
4/0	ReverseCutting	•	19 mm	3/8 circle	55 cm	32.Z6014.00	24
4/0	Reverse Cutting	•	22 mm	3/8 circle	55 cm	32.Z6015.00	24
4/0	Taper Cut	\odot	18 mm	3/8 circle	55 cm	32.Z6016.00	24
4/0	Taper Cut	\odot	17 mm	1/2 circle	55 cm	32.Z6017.00	24
4/0	Extra Reverse Cutting		16 mm	3/8 circle	55 cm	32.Z6018.00	12
4/0	Extra Reverse Cutting		19 mm	3/8 circle	55 cm	32.Z6019.00	12
5/0	Round	•	17 mm	1/2 circle	55 cm	32.Z6020.00	24
5/0	Reverse Cutting	▼	12 mm	3/8 circle	55 cm	32.Z6021.00	24
5/0	Reverse Cutting	•	16 mm	3/8 circle	55 cm	32.Z6022.00	24
5/0	Reverse Cutting	▼	19 mm	3/8 circle	55 cm	32.Z6023.00	24
5/0	Taper Cut	\odot	18 mm	3/8 circle	55 cm	32.Z6024.00	24
5/0	Taper Cut	\odot	12 mm	1/2 circle	55 cm	32.Z6025.00	24
5/0	Extra Reverse Cutting		12 mm	3/8 circle	55 cm	32.Z6026.00	12
5/0	Extra Reverse Cutting	width	16 mm	3/8 circle	55 cm	32.Z6027.00	12

POLYESTER SUTURES

MULTIFILAMENT - NON ABSORBABLE SYNTHETIC - GREEN - COATED

Polyester is a non-absorbable multifilament suture, which is made of polyethylene terephthalate (PET), a biologically inert material causing minimal tissue reaction. Fibers are dyed in green with D&C Green No. 6 coloring agent. The suture is coated with silicone to make its surface smoother and uniform. It is characterized by a higher tensile strength than silk and a reduced risk of tissue reactions.



Material

100% Beeswax coated Polyester | Synthetic | Braided | Green

Thread diameter

from 4 to 6/0 (USP classification)

Characteristics:

- Excellent initial and prolonged durability
- Low risk of reactions Biocompatible
- Strong knotting
- Easy and flexible thread

Application:

Oral Surgery

Thread size	Needle type	Point type	Needle length	Needle curving	Wire length	Code	Pcs./box
3/0	Round	•	17 mm	1/2 circle	55 cm	32.Z6100.00	24
3/0	Reverse Cutting	\blacksquare	16 mm	3/8 circle	55 cm	32.Z6101.00	24
3/0	Reverse Cutting	•	19 mm	3/8 circle	55 cm	32.Z6102.00	24
4/0	Round	\odot	17 mm	1/2 circle	55 cm	32.Z6103.00	24
4/0	Round	•	20 mm	1/2 circle	55 cm	32.Z6104.00	24
4/0	Reverse Cutting	\blacksquare	12 mm	3/8 circle	55 cm	32.Z6105.00	24
4/0	Reverse Cutting	•	16 mm	3/8 circle	55 cm	32.Z6106.00	24
4/0	Reverse Cutting	\blacksquare	19 mm	3/8 circle	55 cm	32.Z6107.00	24
4/0	Taper Cut	\odot	18 mm	3/8 circle	55 cm	32.Z6108.00	24
4/0	Taper Cut	\odot	17 mm	1/2 circle	55 cm	32.Z6109.00	24
5/0	Reverse Cutting	•	16 mm	3/8 circle	55 cm	32.Z6110.00	24

POLYAMIDE SUTURES

MONOFILAMENT - NON ABSORBABLE SYNTHETIC - LIGHT BLUE

Polyamide is a synthetic material which makes it possible to produce high quality non-absorbable monofilament sutures. The suture features a smooth, even surface, it is easy to handle and the monofilament has a low memory. The biological behavior envisages a negligible tissue reaction, while the lack of bacterial adhesion and high resistance even with small diameters makes this suture ideal for all implant and periodontal procedures. The excellent quality price ratio extends its use to small extractive surgery.



Material

Polyamide (nylon) | Synthetic | Monofilament | light Blue

Thread diameter

from 3 to 7/0 (USP classification)

Characteristics:

- Excellent gliding through the tissues
- Easy to knot and excellent knot stability
- Negligible bacterial adhesion
- Excellent elasticity

Application:

- Flaps
- Regenerationy
- Implants
- Mucogengival Surgery
- Oral Surgery

Thread size	Needle type	Point type	Needle length	Needle curving	Wire length	Code	Pcs./box
3/0	Reverse Cutting	•	16 mm	3/8 circle	55 cm	32.Z6200.00	24
3/0	Reverse Cutting	\blacksquare	19 mm	3/8 circle	55 cm	32.Z6201.00	24
4/0	Reverse Cutting	\blacksquare	12 mm	3/8 circle	55 cm	32.Z6202.00	24
4/0	Reverse Cutting	\blacksquare	16 mm	3/8 circle	55 cm	32.Z6203.00	24
4/0	Reverse Cutting	\blacksquare	19 mm	3/8 circle	55 cm	32.Z6204.00	24
5/0	Reverse Cutting	\blacksquare	12 mm	3/8 circle	55 cm	32.Z6205.00	24
5/0	ExtraReverse Cutting		12 mm	3/8 circle	55 cm	32.Z6206.00	24
5/0	Reverse Cutting	\blacksquare	16 mm	3/8 circle	55 cm	32.Z6207.00	12
5/0	Reverse Cutting	•	19 mm	3/8 circle	55 cm	32.Z6208.00	24
6/0	ExtraReverse Cutting		10 mm	3/8 circle	55 cm	32.Z6209.00	24
6/0	Reverse Cutting	\blacksquare	12 mm	3/8 circle	55 cm	32.Z6210.00	12
6/0	ExtraReverse Cutting		12 mm	3/8 circle	55 cm	32.Z6211.00	24
6/0	Reverse Cutting	\blacksquare	16 mm	3/8 circle	55 cm	32.Z6212.00	12

POLYPROPYLENE SUTURES

MONOFILAMENT - NON ABSORBABLE SYNTHETIC - BLUE

Polypropylene is a synthetic, non-absorbable monofilament suture. It is particularly biocompatible with the tissues with easy removal from the patient. Because it does not degrade and does not attenuate, it offers a high resistance to the tissue compaction. Also due to its monofilament property it is indicated for use in areas prone to bacteria.



Material

Polypropylene | Synthetic | Monofilament | Blue

Thread diameter

from 1 to 8/0 (USP classification)

Characteristics:

- Easily tissue penetration
- Secured knots
- High tensile strength
- Low microbial load
- Low tissue reaction

Application:

- Flaps
- Regenerationy
- Implans
- Mucogengival Surgery
- Oral Surgery

Thread size	Needle type	Point type	Needle length	Needle curving	Wire length	Code	Pcs./box
4/0	Reverse Cutting	•	16 mm	3/8 circle	55 cm	32.Z6400.00	24
4/0	Reverse Cutting	\blacksquare	19 mm	3/8 circle	55 cm	32.Z6401.00	24
5/0	Reverse Cutting	▼	16 mm	3/8 circle	55 cm	32.Z6402.00	24
5/0	Reverse Cutting	\blacksquare	19 mm	3/8 circle	55 cm	32.Z6403.00	24
6/0	Reverse Cutting	•	12 mm	3/8 circle	55 cm	32.Z6404.00	24
6/0	Reverse Cutting	\blacksquare	16 mm	3/8 circle	55 cm	32.Z6405.00	24
6/0	ExtraReverse Cutting		12 mm	3/8 circle	55 cm	32.Z6407.00	12

PTFE SUTURES

MONOFILAMENT - NON ABSORBABLE SYNTHETIC - UNDYED

PTFE Surgical Suture (Polytetrafluoroethylene) are ideal for all implant, periodontal and bone grafting procedures where the use of a monofilament suture with low bacterial adhesion is desirable.

Unlike other synthetic monofilament sutures, the material is exceptionally well tolerated in the oral cavity.



Material

PTFE Polytetrafluoroethylene | Monofilament | Undyed from 2/0 to 7/0 (USP classification)

Thread diameter

Characteristics:


- Particularly soft for the patient
- Biologically inert
- Excellent Biocompatibility
- Chemically non-reactive
- No memory
- Resistant
- Superior fluency in oral tissue

Application:

PTFE suture is indicated for use in all types of soft tissue approximation and/or ligation, including cardiovascular, dental and general surgeries, as well as repair of the dura mater. The device is not indicated for use in ophthalmic surgery, microsurgery and peripheral neural tissue.

Thread size	Needle type	Point type	Needle length	Needle curving	Wire length	Code	Pcs./box
3/0	Reverse Cutting	\blacksquare	16 mm	3/8 circle	55 cm	32.Z6300.00	12
3/0	Reverse Cutting	\blacksquare	19 mm	3/8 circle	55 cm	32.Z6301.00	12
4/0	Reverse Cutting	•	16 mm	3/8 circle	55 cm	32.Z6302.00	12
4/0	Reverse Cutting	\blacksquare	19 mm	3/8 circle	55 cm	32.Z6303.00	12
4/0	Taper Cut	\odot	18 mm	3/8 circle	55 cm	32.Z6304.00	12
5/0	Reverse Cutting	\blacksquare	12 mm	3/8 circle	55 cm	32.Z6305.00	12
5/0	Reverse Cutting	•	16 mm	3/8 circle	55 cm	32.Z6306.00	12
5/0	Reverse Cutting	\blacksquare	19 mm	3/8 circle	55 cm	32.Z6307.00	12
5/0	Extra Reverse Cutting		12 mm	3/8 circle	55 cm	32.Z6308.00	12
5/0	Taper Cut	\odot	18 mm	3/8 circle	55 cm	32.Z6309.00	12
6/0	Reverse Cutting	•	12 mm	3/8 circle	55 cm	32.Z6310.00	12
6/0	Reverse Cutting	\blacksquare	16 mm	3/8 circle	55 cm	32.Z6311.00	12
6/0	ExtraReverse Cutting		12 mm	3/8 circle	55 cm	32.Z6312.00	12
6/0	ExtraReverse Cutting		10 mm	3/8 circle	55 cm	32.Z6313.00	12
6/0	Taper Cut	\odot	10 mm	1/2 circle	55 cm	32.Z6314.00	12
7/0	ExtraReverse Cutting	∇	10 mm	3/8 circle	55 cm	32.Z6315.00	12













CAMARK S.A.
EFFICIENT SURGICAL SOLUTIONS
Industrial Park Axioupoli
61400 Axioupoli | Greece
Tel: +30 23430 32043 | Fax: +30 23430 31937
E-Mail:info@camark.gr | Website: www.camark.gr